

L Number	Hits	Search Text	DB	Time stamp
4	2	20020133265.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 14:58
5	0	20020133265.pn. and substantially	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 14:58
6	1	20020133265.pn. and (form with base with feature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 14:59
10	38	((700/18,19,29,30,83,86,95-98,105-107,146,159,160,181-187,190,192.ccls. or 703/1.ccls.) or 345/420.ccls.) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5 or NC or CNC or (numeric\$4 near2 control\$4))) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (template))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 16:25
11	51	((700/18,19,29,30,83,86,95-98,105-107,146,159,160,181-187,190,192.ccls. or 703/1.ccls.) or 345/420.ccls.) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5 or NC or CNC or (numeric\$4 near2 control\$4))) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (original\$2 or base or premise or template)) and (((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (original\$2 or base or premise or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 16:25
12	4	6075P16).PN	USPAT	2004/09/30 16:26
13	10	("4530046"   "4547854"   "4549270"   "4618924"   "4641270"   "4656590"   "4739488"   "4918627"   "4936862"   "4937768").PN.	USPAT	2004/09/30 16:28
14	8098	(700/18,19,29,30,83,86,95-98,105-107,146,159,160,181-187,190,192.ccls. or 703/1.ccls.) or 345/420.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 16:50
15	91078	(virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5 or NC or CNC or (numeric\$4 near2 control\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 16:50
16	1503	700/182.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 16:50
17	188	700/182.ccls. and (drawing with (part or product))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 16:51
18	17	700/182.ccls. and (drawing with (part or product)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 16:54
19	53	700/\$.ccls. and (drawing near4 (part or product)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 16:55



	2	6599125.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 10:34
	2	6735489.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 10:34
	20	(("5467293" "5815154" "6120171" "6219049" "6219055" "5434791" "5659493P26B56800" "260309527" "20020133264").P or (("5351196" "5710709" "5768136" "5808432" "6073056" "6323863" "634 7001846929330,83,86,95-98,105-107,146,159,160,181-187,190,192.ccls (("6263252" "6629065" "6599125").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 11:56
7083	521	703/1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 10:35
	7489	700/18,19,29,30,83,86,95-98,105-107,146,159,160,181-187,190,192.ccls. or 703/1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 11:56
	692	345/420.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 10:35
	2	20020133265.pn. and virtual\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 10:44
	89550	(virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 11:52
	0	20020133265.pn. and (blank with coordiante)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 10:44
	2	20020133265.pn. and (blank with coordinate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 10:57
	2	20020133265.pn. and (coordinate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 11:42
	1	20020133265.pn. and (master)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 11:44

-	1	20020133265.pn. and (concurrent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 11:44
-	89555	(virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:03
-	24558	(virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (master or original\$2 or base or completed or premise)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 11:59
-	4805	((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5)) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (master or original\$2 or base or completed or premise))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 11:59
-	4966	(virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (master or completed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 11:59
-	1322	((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5)) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (master or completed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 11:56
-	122	(((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5)) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (master or completed))) and ((700/18,19,29,30,83,86,95-98,105-107,146,159,160,181-187,190,192.cccls. or 703/1.cccls.) or 345/420.cccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 11:56
-	2619	(virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (master)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:05
-	22590	(virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (master or original\$2 or base or premise)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:15
-	681	((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5)) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (master))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:00
-	67	((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (master or original\$2 or base or premise)) and (((((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5)) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (master or completed)))) and ((700/18,19,29,30,83,86,95-98,105-107,146,159,160,181-187,190,192.cccls. or 703/1.cccls.) or 345/420.cccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:02

		52	((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (master)) and (((((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5)) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (master or completed))) and ((700/18,19,29,30,83,86,95-98,105-107,146,159,160,181-187,190,192.ccls. or 703/1.ccls.) or 345/420.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:02
		54	((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (master)) and (((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5 or NC or CNC or (numeric\$4 near2 control\$4))) and ((700/18,19,29,30,83,86,95-98,105-107,146,159,160,181-187,190,192.ccls. or 703/1.ccls.) or 345/420.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:42
	24345		(virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (master or original\$2 or base or premise or template)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:42
		19	(horizontal\$6 near3 structur\$6).clm. and landers.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:38
		22005	(virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (original\$2 or base or premise or template)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:44
		320	((700/18,19,29,30,83,86,95-98,105-107,146,159,160,181-187,190,192.ccls. or 703/1.ccls.) or 345/420.ccls.) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5 or NC or CNC or (numeric\$4 near2 control\$4))) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (original\$2 or base or premise or template\$2) or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (original\$2 or base or premise or template)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:39
		2068		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:31
		2098	(virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (template)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:44
		214	((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near3 (parent or generic)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:31
		6	((700/18,19,29,30,83,86,95-98,105-107,146,159,160,181-187,190,192.ccls. or 703/1.ccls.) or 345/420.ccls.) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5 or NC or CNC or (numeric\$4 near2 control\$4))) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (original\$2 or base or premise or template))) and (((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near3 (parent or generic)).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:32
		11	((700/18,19,29,30,83,86,95-98,105-107,146,159,160,181-187,190,192.ccls. or 703/1.ccls.) or 345/420.ccls.) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5 or NC or CNC or (numeric\$4 near2 control\$4))) and (((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near3 (parent or generic)).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:39

	5	<p>((700/18,19,29,30,83,86,95-98,105-107,146,159,160,181-187,190,192.ccls.) or 703/1.ccls.) or 345/420.ccls.) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5 or NC or CNC or (numeric\$4 near2 control\$4))) and (((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near3 (parent or generic)).clm.)) not (((700/18,19,29,30,83,86,95-98,105-107,146,159,160,181-187,190,192.ccls.) or 703/1.ccls.) or 345/420.ccls.) and ((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) with (machin\$4 or drill\$4 or mill\$4 or stamp\$4 or cut\$4 or bor\$5 or NC or CNC or (numeric\$4 near2 control\$4))) and (((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near2 (original\$2 or base or premise or template))) and (((virtual\$2 or simulat\$4 or emulat\$4 or model\$4 or CAD or CAD/CAM) near3 (parent or generic)).clm.))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:39
--	---	--	---	------------------